

## **VIDEO CONTENT STREAMING FROM THIRD-PARTY PROVIDERS LIKE YOUTUBE, GOOGLE VIDEO, iFILM ETC.**

### **Supported video providers:**

1. [Google Video International](#)
2. [Google Video Australia](#)
3. [Google Video Deutschland \(Germany\)](#)
4. [Google Video Espana \(Spain\)](#)
5. [Google Video France](#)
6. [Google Video Italia \(Italy\)](#)
7. [Google Video Nederland \(The Netherlands/Holland\)](#)
8. [Google Video Polska \(Poland\)](#)
9. [Google Video U.K. \(United Kingdom/Great Britain\)](#)
10. [Yahoo! Video](#)
11. [YouTube](#)
12. [iFilm](#)
13. [Vimeo](#)
14. [Metacafe](#)
15. [Bolt \(for Audio & Video\)](#)
16. [Bofunk](#)
17. [Break](#)
18. [Jumpcut](#)
19. [Current TV](#)
20. [Revver](#)
21. [College Humor](#)
22. [MyVideo.de](#)
23. [Sevenload.de](#)
24. [ClipFish.de](#)
25. [Stickam](#)
26. [Krazyshow](#)
27. [GameTrailers.com](#)
28. [MySpace Video Code](#)
29. [FreeVideoBlog](#)
30. [Streetfire Videos](#)
31. [Crossroad Videos](#)
32. [Dropshots](#)
33. [UUme](#) (for chinese speaking users)
34. [Tudou.com](#) (for chinese speaking users)
35. [Seehaha](#) (for chinese speaking users)
36. [QuXiu](#) (for chinese speaking users)
37. [WangYou.com](#) (for chinese speaking users)
38. [Mofile TV](#) (for chinese speaking users)
39. [Biku.com](#) (for chinese speaking users)

These providers offer content in various formats, but most of them use Flash Video technology.

## USAGE INSTRUCTIONS

To embed videos to your content use the following text per video provider:

- For Google Video use: **{google}video\_id{/google}**  
For example if the link on your browser displays **http://video.google.com/videoplay?docid=-3406925506469882756** then your video\_id is **-3406925506469882756**, that means the characters that come after "docid=". Please note that in some cases there might be a minus sign (-) before the last sequence of digits or not!
- For local Google Video sites (like Google Video France) use: **{google.TLD}video\_id{/google}** and replace "TLD" with "co.uk", "com.au", "de", "es", "fr", "it", "nl" or "pl", depending on the local Google Video service.  
For example if the link on your browser displays **http://video.google.fr/videoplay?docid=-3406925506469882756** then your video\_id is **-3406925506469882756**, that means the characters that come after "docid=". You then write inside the editor: **{google.fr}-3406925506469882756{/google.fr}**. Please note that in some cases there might be a minus sign (-) before the last sequence of digits or not!
- For Yahoo! Video use: **{yahoo}video\_id{/yahoo}**  
For example if the link on your browser displays **http://video.yahoo.com/video/play?vid=c860df3ccf66c83fb61bb2ffd934330b.1155220&cache=1** then your video\_id is **1155220&cache=1**, that means, everything that is AFTER the last DOT on the link!
- For YouTube use: **{youtube}video\_id{/youtube}**  
For example if the link on your browser displays **http://www.youtube.com/watch?v=cdXTDovB9K8** then your video\_id is **cdXTDovB9K8**, that means, again just the number at the end of the link!
- For iFilm use: **{ifilm}video\_id{/ifilm}**  
For example if the link on your browser displays **http://www.ifilm.com/ifilmdetail/2732615** then your video\_id is **2732615**, that means, yes you've guessed too, just the number at the end of the link!
- For Vimeo use: **{vimeo}video\_id{/vimeo}**  
For example if the link on your browser displays **http://www.vimeo.com/clip:78198** then your video\_id is **78198**, that means, yes you are a genius, again just the number at the end of the link!
- For Metacafe use: **{metacafe}video\_id/video\_name{/metacafe}**  
For example if the link on your browser displays **http://www.metacafe.com/watch/143709/i\_get\_knocked\_down/** then your video\_id/video\_name is **143709/i\_get\_knocked\_down**. That is a tricky one because you need to omit the last slash (/)! Be careful with this one!
- For Bolt Video use: **{boltvideo}video\_id{/boltvideo}**  
For example if the link on your browser displays **http://www.bolt.com/wakey1989/video/1293961?cn=HUBS\_video\_new\_all\_PAGE1** then your video\_id is **1293961**.  
For Bolt Audio (music) use: **{boltaudio}video\_id{/boltaudio}**  
For example if the link on your browser displays **http://www.bolt.com/MeLo-X/audio/1214080?cn=FEATURED\_audio\_PAGE1** then your video\_id is **1214080**.

- For Bofunk use: **{bofunk}video\_id{/bofunk}**  
For example if the link on your browser displays **http://www.bofunk.com/video/3466/he\_thinks\_he\_can\_sing.html** then your video\_id is **3466**.  
Bofunk uses ASX files to stream content.
- For Break use: **{break}video\_name{/break}**  
For example if the link on your browser displays **http://www.break.com/index/rally41.html** then your video\_name is **rally41**. Break uses Windows Media Video (WMV) to stream content.
- For Jumpcut use: **{jumpcut}video\_id{/jumpcut}**  
For example if the link on your browser displays **http://www.jumpcut.com/view?id=E227D48AF9B111DABAF94E6A17CD0207** then your video\_id is **E227D48AF9B111DABAF94E6A17CD0207**.
- For Current TV use: **{currenttv}video\_id{/currenttv}**  
For example if the link on your browser displays **http://www.current.tv/studio/media/2144246** then your video\_id is **2144246**.
- For Revver use: **{revver}video\_id{/revver}**  
For example if the link on your browser displays **http://www.revver.com/video/29572/** then your video\_id is **29572**.
- For College Humor use: **{collegehumor}video\_id{/collegehumor}**  
For example if the link on your browser displays **http://www.collegehumor.com/video:1714080** then your video\_id is **1714080**.
- For MyVideo.de use: **{myvideo}video\_id{/myvideo}**  
For example if the link on your browser displays **http://www.myvideo.de/watch/17290** then your video\_id is **17290**.
- For Sevenload.de use: **{sevenload}video\_id{/sevenload}**  
For example if the link on your browser displays **http://sevenload.de/videos/ZHNTpBZ** then your video\_id is **ZHNTpBZ**.
- For ClipFish use: **{clipfish}video\_id{/clipfish}**  
For example if the link on your browser displays **http://www.clipfish.de/player.php?videoid=MjkwfDI%3D** then your video\_id is **MjkwfDI%3D**.
- For Stickam use: **{stickam}video\_id{/stickam}**  
For example if the link on your browser displays **http://www.stickam.com/editMediaComment.do?method=load&mId=174010582** then your video\_id is **174010582**.
- For Krazyshow use: **{krazyshow}video\_id{/krazyshow}**  
For example if the link on your browser displays **http://www.krazyshow.com/media/playvideo.aspx?f=flash7&cid=AF8BCC6F96F04A4ABECBED7B6EC738F9** then your video\_id is **AF8BCC6F96F04A4ABECBED7B6EC738F9** (after &cid).
- For GameTrailers use: **{gametrailers}video\_id{/gametrailers}**  
For example if the link on your browser displays **http://www.gametrailers.com/umwatcher.php?id=3542** then your video\_id is **3542**.
- For MySpace Video Code use: **{myspacevideocode}video\_id{/myspacevideocode}**

For example if the link on your browser displays <http://www.myspacevideocode.com/v-3673-afternoon-delight.php> then your video\_id is **3673**.

- For FreeVideoBlog use: **{freevideoblog}video\_id{/freevideoblog}**  
For example if the link on your browser displays <http://video.freevideoblog.com/video/06d6ce03-a0db-44e5-9afd-cb51fab7215d.htm> then your video\_id is **06d6ce03-a0db-44e5-9afd-cb51fab7215d**.
- For Streetfire Videos use: **{streetfire}video\_id{/streetfire}**  
For example if the link on your browser displays <http://videos.streetfire.net/video/cf324233-408a-4e93-8c02-29147e71ab0e.htm> then your video\_id is **cf324233-408a-4e93-8c02-29147e71ab0e**.
- For Crossroad Videos use: **{crossroad}video\_id{/crossroad}**  
For example if the link on your browser displays <http://www.crossroadvideos.com/video/2fabf084-ef82-4e63-a094-c8a9d1a2ad76.htm> then your video\_id is **2fabf084-ef82-4e63-a094-c8a9d1a2ad76**.
- For Dropshots use: **{dropshots}browser\_link{/dropshots}**  
For Dropshots we use the whole browser link, for example <http://www.dropshots.com/day.php?userid=127444&cdate=20060612&ctime=050513>, because this is the easiest way to embed video. You see, Dropshots uses variables inside the link that would otherwise need to be "found" inside the browser link. And our "motto" for the plugin is "no HTML-hassle" at all! So using some extra PHP code, we "clean up" the link and embed the variables correctly in Joomla's content. So all you have to do is just paste the whole link and that's it!
- For UUme use: **{uume}video\_id{/uume}**  
For example if the link on your browser displays [http://www.uume.com/play\\_0p7PhcCcJ2ra](http://www.uume.com/play_0p7PhcCcJ2ra) then your video\_id is **0p7PhcCcJ2ra**.
- For Tudou.com use: **{tudou}video\_id{/tudou}**  
For example if the link on your browser displays <http://www.tudou.com/programs/view/T7tcywVL8P0/> then your video\_id is **T7tcywVL8P0**.
- For Seehaha use: **{seehaha}video\_id{/seehaha}**  
For example if the link on your browser displays <http://www.seehaha.com/play/19787> then your video\_id is **19787**.
- For QuXiu use: **{quxiu}video\_id{/quxiu}**  
For example if the link on your browser displays <http://www.quxiu.com/mov/V12285.htm> then your video\_id is **12285** (without the 'V').
- For WangYou.com use: **{wangyou}video\_id{/wangyou}**  
For example if the link on your browser displays <http://v.wangyou.com/play.php?id=1773127> then your video\_id is **1773127**.
- For Mofile TV use: **{mofile}video\_id{/mofile}**  
For example if the link on your browser displays <http://tv.mofile.com/QM66Q9O8/> then your video\_id is **QM66Q9O8**.
- For Biku use: **{biku}video\_id{/biku}**  
For example if the link on your browser displays <http://www.biku.com/opus/59150.html> then your video\_id is **59150**.